


SBRG NSK NU240EM NU-Type

Bearing No. NU240EM



NU240EM Bearing 2D drawings and 3D CAD models

Size	200x360x58 mm
Bore Diameter	200 mm
Outer Diameter	360 mm
Width	58 mm
d	200 mm
Fw	243 mm
D	360 mm
B	58 mm
C	58 mm
r min.	4 mm
r1 min.	4 mm
da min.	216 mm
Da max.	344 mm
db max.	238 mm
db min	216 mm
ra max.	3 mm
rb max.	3 mm
S	2,2 mm
Weight	27,4 Kg
Basic dynamic load rating (C)	765 kN
Basic static load rating (C0)	1060 kN
(Grease) Lubrication Speed	1 700 r/min
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A



Noyon Bearing Industrial Factory

Weight / Kilogram	26
Product Group	B04144
hidYobi	NU240EM
LangID	1
D_	360
Macha rpm	3200
B_	58
hidTable	ecat_NSCLDR
Oil rpm	2000
rb	3
mass	26.9
GRS rpm	1700
ra	3
db max	238
TSR rpm	1900
C0	1060
DE_	323
Prod_Type3	CRB_SR_NU
da	216
DA_	40
Z_	19
D_a max	344
yobi	NU240EM
dd min	261
C_conv	765000
ALPHA_	0
SDM_	283
r	4
dc min	247
KBRG	4145
SBRG	2
r1	4



Noyon Bearing Industrial Factory

DI_	243
-----	-----