

Prod_Type3 NSK NU232EM NU-Type

Bearing No. NU232EM



NU232EM Bearing 2D drawings and 3D CAD models

Size	160x290x48 mm
Bore Diameter	160 mm
Outer Diameter	290 mm
Width	48 mm
d	160 mm
Fw	195 mm
D	290 mm
B	48 mm
C	48 mm
r min.	3 mm
r1 min.	3 mm
da min.	173 mm
Da max.	277 mm
db max.	190 mm
db min	173 mm
ra max.	2,5 mm
rb max.	2,5 mm
S	1,8 mm
Weight	14,7 Kg
Basic dynamic load rating (C)	500 kN
Basic static load rating (C0)	665 kN
(Grease) Lubrication Speed	2 200 r/min
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A



Noyon Bearing Industrial Factory

Weight / Kilogram	14.5
EAN	0029176727498
Product Group	B04144
hidYobi	NU232EM
LangID	1
D_	290
Macha rpm	4000
B_	48
hidTable	ecat_NSCLDR
Oil rpm	2600
rb	2.5
mass	14.5
GRS rpm	2200
ra	2.5
db max	190
TSR rpm	2600
C0	665
DE_	259
Prod_Type3	CRB_SR_NU
da	173
DA_	32
Z_	19
D_a max	277
yobi	NU232EM
dd min	210
C_conv	500000
ALPHA_	0
SDM_	227
r	3
dc min	197
KBRG	4145
SBRG	2



Noyon Bearing Industrial Factory

r1	3
DI_	195